



Ask for BESTPRICE and If other vendors will offer a lower price, please inform us and we will drop our prices further! As of **September 6, 2016** - (Prices subject to change without prior notice)

BARCODE PRINTERS



Model Number	EC-3120D	EC -3150D	EC-Q8
SRP	9,500.00	10,572.80	17,110.00
Dimensions (inch)	8.67" (W) x 5.9" (L) x 5.9" (H)	9.05" (W) x 6.14" (L) x 5.78"	8.27"W x 10.04"D x 5.9"H
Dimensions (mm)	220 W x 150 D x 150 H (mm)	230 W x 156 D x 147 H (mm)	210 W x 255 D x 150 H (mm)
Color	Black	Black	Black
Weight	1.5 kg (3.3 lbs)	1.65 kg (3.63 lbs)	2.1 kg (4.62 lbs)
Barcode Printer Type	Direct Thermal Barcode Label	Direct Thermal Barcode Label	Barcode Label Printer DT &
Printing Method	Thermal Line Printing	Direct Thermal	Direct Thermal / Thermal
Max Printing Speed	127mm	152.4mm/s	4 ips (101.6mm/s)
Max Printing Width	82mm	3.2" 82mm	4.25" (108mm)
Max Printing Length	-	-	157" (4000mm)
Paper Thickness	0.08mm	0.08mm	0.15mm
Dot Density	203dpi (8dots/mm)	203dpi (8 dots/mm)	203dpi (8dots/mm)
Memory	2MB	2MB Flash Rom , 2MB	2MB Flash Rom, 8MB
Sensor	-	Microswitch	Reflective (Multiple mounting
Fonts	-	GB2312, Optional multiple	Five built-in ASCII Font,
I/O interface	Parallel / RS232C + USB /	Serial + USB + Ethernet /	RS-232 Serial / USB
Sensor	-	-	Reflective (Multiple mounting
Operation	0°C -- 50 °C	-	0°C -- 40 °C
Power Supply	DC 24V	-	24 VDC Power Adapter
Reliability Print t	100Km	-	-


Prices	Php8,000.00	Php8,960.00	Php14,500.00
	Support thermal paper roll &	3inch print width	Direct Thermal / Thermal Transfer
	Support printer head pressure	6inch / sec ultra high print	2MB Flash Rom / 8MB
	Support paper auto verify	Support 2D barcode printing	Enhancing durability &
	Automitical temperature	Label paper autho	Reflective media sensor with
		Compatible with various label	Free barcode label software
		BMP, PCX, BAS files download and	Left - Right structure for Easy
			Unique 3 LED lights. make

BARCODE PRINTERS



Zebra	Interface		SRP
MZ320	USB	RECOMMENDED	28,000.00
MZ320	WiFi	RECOMMENDED	33,000.00
GK420D	RS232, USB	RECOMMENDED	16,000.00
GK420T	RS232, USB	RECOMMENDED	25,000.00
GX430T	LPT, RS232, USB		40,000.00
ZT220 200dpi	LPT, RS232, USB		49,000.00
ZT230 300dpi	LPT, RS232, USB		60,000.00
ZM400 200dpi	LPT, RS232, USB		78,000.00
ZM400 300dpi	LPT, RS232, USB		83,000.00
105SL 200dpi	LPT, RS232, USB		103,500.00
105SL 300dpi	LPT, RS232, USB		103,500.00
110Xi 200dpi	LPT, RS232, USB		144,000.00
110Xi 300dpi	LPT, RS232, USB		155,000.00
110Xi 600dpi	LPT, RS232, USB		167,000.00
140Xi 200dpi	LPT, RS232, USB		195,000.00
140Xi 300dpi	LPT, RS232, USB		207,000.00
170Xi 200dpi	LPT, RS232, USB		224,000.00

170Xi 300dpi	LPT, RS232, USB	236,000.00
--------------	-----------------	------------

MSR		
Model No.	EC-C202D	EC-MSR-1515 (for TS-1550 & TS1553)
SRP	4,200.00	9,200.00
Operating Voltage	DC 5V ± 5%	DC 5V ± 5%
Power Consumption	80 mA	80 mA
Scan Rate	100 ~1000mm per second	100 ~1000mm per second
Track Information	Single Track (1st, 2nd, 3rd Track)	Single Track (1st, 2nd, 3rd Track)
	Dual Tracks (1&2, 2&3 Tracks)	Dual Tracks (1&2, 2&3 Tracks)
	Tripe Tracks (1&2&3 Tracks)	Tripe Tracks (1&2&3 Tracks)
	JIS II	JIS II
Interface	KBW \ RS232 \ USB \ TTL	KBW \ RS232 \ USB \ TTL
Connector	JAE 10P Pitch 2.0	JAE 10P Pitch 2.0
Life Cycle	500,000 passes	500,000 passes
Dimension (mm)	135mm X 47mm X 45 mm	135mm X 47mm X 45 mm
Weight (g)	Approx. 220g	Approx. 220g
Color	Black \ White	Black \ White



Read \ Write	Read (High \ Low Coercive)	Read (High \ Low Coercive)
	Comply with ISO 7812, IBM standards	Comply with ISO 7812, IBM standards
	Support multi-country code settings	Support multi-country code settings
	Support programmable MSR setting	Support programmable MSR setting
	500,000 swipe cycles	500,000 swipe cycles
	Support USB, PS/2 interface	Support USB, PS/3 interface
	Metal weight for balancing	Metal weight for balancing
	USB with HID device, no driver need	USB with HID device, no driver need
		Ideal for POS addon

Ask for BESTPRICE and If other vendors will offer a lower price, please inform us and we will drop our prices further! As of **September 6, 2016** - (Prices subject to change without prior notice)

